

25.06.2021

## Certificate of Analysis

From 28.05.2021 to 24.06.2021 we examined on behalf of company Vitaslim Innove Ltd, 18 Shipchenski Prohod Blvd., 1113 Sofia, BULGARIEN a sample with our test report number 2904513 / 2-214485 / 2 with the sample code "Visilife" for the following parameters:

- Aerobic mesophilic plate count (total plate count)
- Arsenic (As)
- Cadmium (Cd)
- Inorganic arsenic
- Lead (Pb)
- Mercury (Hg)
- Moulds
- Staphylococcus, coagulase-positive in 1 g
- Yeasts

With regard to the examined parameters mentioned above, as well as taking into account the measuring tolerances, processing factors and the currently valid limit values / recommendation values, from our point of view the product is considered to be marketable in Germany.



AGROLAB GROUP  
Your labs. Your service.



**Frau Wiebke Stelter**  
officially approved foodchemist  
customer relation management food

This Certificate of Analysis may be published by you in unaltered, unabridged form. The date of the Certificate of Analysis must also be stated.

Any other use and in particular duplication of this Certificate of Analysis is not permitted. This certificate of analysis does not replace the test report and is only valid in connection with this report. Any liability arising from improper use and in particular duplication of this Certificate of Analysis is excluded.

Incidentally, our General Terms and Conditions apply: <https://www.agrolab.com/de/agb>